



SÉRIE UK 3



| REF. | d (mm) | DIMENSIONS | | | CHARGE DE BASE EN KG | | |
|--------|-----------|------------|----|----|-------------------------|-------|----------|
| | | D | Bi | Be | DYN. | STAT. | Masse Kg |
| UK 305 | 25 | 62 | 27 | 22 | 2160 | 1110 | 0,4 |
| UK 306 | 30 | 72 | 30 | 24 | 2720 | 1530 | 0,47 |
| UK 307 | 35 | 80 | 33 | 26 | 3400 | 1960 | 0,6 |
| UK 308 | 40 | 90 | 35 | 28 | 4150 | 2450 | 0,8 |
| UK 309 | 45 | 100 | 38 | 30 | 4980 | 3010 | 1,08 |
| UK 310 | 50 | 110 | 40 | 32 | 6320 | 3900 | 1,38 |
| UK 311 | 55 | 120 | 43 | 34 | 7300 | 4580 | 1,78 |
| UK 312 | 60 | 130 | 47 | 36 | 8350 | 5320 | 2,06 |
| UK 313 | 65 | 140 | 49 | 38 | 9450 | 6110 | 2,71 |
| UK 315 | 75 | 160 | 55 | 42 | 11600 | 7870 | 3,8 |
| UK 316 | 80 | 170 | 55 | 44 | 12500 | 8840 | 4,39 |
| UK 317 | 85 | 180 | 60 | 46 | 13500 | 9870 | 5,3 |
| UK 318 | 90 | 190 | 60 | 48 | 14500 | 10900 | 6,2 |
| UK 319 | 95 | 200 | 66 | 50 | 15600 | 12100 | 7,31 |
| UK 320 | 100 | 215 | 68 | 54 | 17700 | 14400 | 8,7 |
| UK 322 | 110 | 240 | 78 | 60 | 20900 | 18300 | 12,2 |
| UK 324 | 120 | 260 | 87 | 64 | 21100 | 18800 | 16,1 |
| UK 326 | 130 | 280 | 87 | 68 | 23400 | 21800 | 18,8 |
| UK 328 | 140 | 300 | 97 | 72 | 25800 | 25100 | 23,9 |

SÉRIE SA 2


INOX
EN STOCK



| REF. | d (in.) (mm) | DIMENSIONS | | | | | | | | CHARGE DE BASE EN KG | | | | |
|-----------|-----------------|------------|----|----|-----|------|------|------|------|-------------------------|--------|------|-------|----------|
| | | Be | D | B1 | n | m | Bi | K | H | G | ds | DYN. | STAT. | MASSE Kg |
| SA 201 | 12 | | | | | | | | | | | | | |
| SA 201-8 | 1/2 | | | | | | | | | | | | | |
| SA 202 | 15 | 12 | 40 | 19 | 6 | 13,0 | 28,5 | 28,6 | 13,5 | 4,8 | M6 x 1 | 975 | 490 | 0,13 |
| SA 202-10 | 5/8 | | | | | | | | | | | | | |
| SA 203 | 17 | | | | | | | | | | | | | |
| SA 204-12 | 3/4 | | | | | | | | | | | | | |
| SA 204 | 20 | 14 | 47 | 20 | 7 | 13,0 | 29,5 | 33,3 | 13,5 | 4,8 | M6 x 1 | 1310 | 680 | 0,15 |
| SA 205-14 | 7/8 | | | | | | | | | | | | | |
| SA 205 | 25 | 15 | 52 | 21 | 7,5 | 13,5 | 30,5 | 38,1 | 13,5 | 4,8 | M6 x 1 | 1430 | 800 | 0,22 |
| SA 205-16 | 1 | | | | | | | | | | | | | |
| SA 206-18 | 1 1/8 | | | | | | | | | | | | | |
| SA 206 | 30 | 16 | 62 | 22 | 8 | 14,0 | 33,9 | 44,5 | 15,9 | 6 | M8 x 1 | 1980 | 1150 | 0,30 |
| SA 206-19 | 1 3/16 | | | | | | | | | | | | | |
| SA 206-20 | 1 1/4 | | | | | | | | | | | | | |
| SA 207-20 | 1 1/4 | | | | | | | | | | | | | |
| SA 207-22 | 1 3/8 | | | | | | | | | | | | | |
| SA 207 | 35 | 17 | 72 | 23 | 8,5 | 14,5 | 36,5 | 55,6 | 17,5 | 6,8 | M8 x 1 | 2620 | 1570 | 0,50 |
| SA 207-23 | 1 7/16 | | | | | | | | | | | | | |
| SA 208-24 | 1 1/2 | | | | | | | | | | | | | |
| SA 208 | 40 | 18 | 80 | 27 | 9 | 18,0 | 40,5 | 60,3 | 18,3 | 6,8 | M8 x 1 | 2970 | 1820 | 0,67 |

SÉRIE SB 2

INOX
EN STOCK



| REF. | d (in.) (mm) | DIMENSIONS | | | | | | CHARGE DE BASE EN KG | | | | | |
|-----------|-----------------|------------|----|----|-----|------|-----|-------------------------|------|-------|----------|--|--|
| | | Be | D | Bi | n | m | G | ds | DYN. | STAT. | MASSE Kg | | |
| SB 201 | 12 | | | | | | | | | | | | |
| SB 201-8 | 1/2 | | | | | | | | | | | | |
| SB 202 | 15 | 12 | 40 | 22 | 6 | 16,0 | 4 | M5 x 0,8 | 975 | 490 | 0,10 | | |
| SB 202-10 | 5/8 | | | | | | | | | | | | |
| SB 203 | 17 | | | | | | | | | | | | |
| SB 204-12 | 3/4 | | | | | | | | | | | | |
| SB 204 | 20 | 14 | 47 | 25 | 7 | 18,0 | 5 | M6 x 1,0 | 1310 | 680 | 0,15 | | |
| SB 205-14 | 7/8 | | | | | | | | | | | | |
| SB 205 | 25 | 15 | 52 | 27 | 7,5 | 19,5 | 5,5 | M6 x 1,0 | 1430 | 800 | 0,18 | | |
| SB 205-16 | 1 | | | | | | | | | | | | |
| SB 206-18 | 1 1/8 | | | | | | | | | | | | |
| SB 206 | 30 | 16 | 62 | 30 | 8 | 22,0 | 6 | M6 x 1,0 | 1980 | 1150 | 0,27 | | |
| SB 206-19 | 1 3/16 | | | | | | | | | | | | |
| SB 207-20 | 1 1/4 | | | | | | | | | | | | |
| SB 207-22 | 1 3/8 | | | | | | | | | | | | |
| SB 207 | 35 | 17 | 72 | 32 | 8,5 | 23,5 | 6 | M6 x 1,0 | 2620 | 1570 | 0,42 | | |
| SB 207-23 | 1 7/16 | | | | | | | | | | | | |
| SB 208-24 | 1 1/2 | | | | | | | | | | | | |
| SB 208 | 40 | 18 | 80 | 34 | 9 | 25,0 | 8 | M8 x 1,0 | 2920 | 1820 | 0,60 | | |

1. PALIERS

2. ROULEMENTS

3. EMBOUTS A ROTULES

4. PRODUITS
D'ACCOMPAGNEMENTS